



Nutritional and Medicinal uses of Different Types of Berries and Rabbit

Karishma Choudhary ^{a*} and Vinod Kumar Palsaniya ^a

^a *Livestock Production and Management, CVAS, Navania, Udaipur, India.*

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/jabb/2024/v27i91335>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/122276>

Review Article

Received: 20/06/2024

Accepted: 22/08/2024

Published: 02/09/2024

ABSTRACT

This abstract will provide an outline of the nutritional and therapeutic benefits of several berries. It will focus on the major vitamins, minerals, antioxidants, and phytochemicals found in berries, as well as how these compounds can benefit overall health and well-being. The study will also look into the possible therapeutic applications of berries in the prevention and treatment of several health disorders, including cardiovascular disease, diabetes, and cancer. It will discuss the differences in nutrient profiles and bioactive chemicals found in various berry species, as well as how these variances may influence their distinct health-promoting properties. Furthermore, the abstract will discuss any potential safety risks or contraindications related with berry eating, particularly for people who have certain medical problems or are taking specific drugs.

Keywords: *Blackberries; blueberries; food; vitamin; heart disease; polyphenols; anthocyanins obesity; type 2 diabetes.*

*Corresponding author: E-mail: choudharykarishma2531@gmail.com;

Cite as: Choudhary, Karishma, and Vinod Kumar Palsaniya. 2024. "Nutritional and Medicinal Uses of Different Types of Berries and Rabbit". *Journal of Advances in Biology & Biotechnology* 27 (9):622-27. <https://doi.org/10.9734/jabb/2024/v27i91335>.

1. INTRODUCTION

The continuous search for agents that promote health and prevent disease in developed countries has altered our perception of food sources; the introduction of nutritious foods, vitamin, and mineral supplements, and nutraceuticals has improved the offerings of the food industry and contributed to its continued expansion. The incidence of heart disease and numerous malignancies is inversely correlated with the diet of fruits and vegetables. Nonetheless, a large portion of the population in northern latitude nations does not consume the suggested "5-a-day" of fruits and vegetables. Locally grown soft fruits, such as raspberries, blackberries, blueberries, and blackcurrants, may be a potentially significant supply of fruit for these communities [1-9].

The edible berries are classified into the following genera: *Fragaria* (strawberries), *Aronia* (chokeberries), *Sambucus* (elderberries), *Rubus* (raspberries, blackberries, and cloudberries), *Ribes* (gooseberries, black and red currants), and *Vaccinium* (blueberries, cranberries, bilberries, and lingonberries). They are all rich in

phenolics, which play a major role in their organoleptic qualities and health advantages [10-12]. The phytochemicals like flavonoids, stilbenes, tannins, and phenolic acids are among the many different types of antioxidants and phenolics that can be found in berries.

Berries are rich in phytochemicals such as anthocyanins, which are glycosidic-linked flavonoids that give berries their red, violet, purple, and blue colors. Studies conducted on rats show that anthocyanin absorption occurs in the stomach and the small intestine [13-15]. Their absorption from the stomach into the blood may explain their rapid but temporary increase in serum [8]. These phytochemicals may have additional beneficial effects on health. Research conducted in vitro suggests that the polyphenols, specifically anthocyanins, present in berries may possess several anti-inflammatory, antioxidant, and cell-regulating characteristics that may help prevent cancer and heart disease [16-19]. Berries are superfoods that are edible and may help prevent cancer, heart disease, and aging." However, it would seem that polyphenols like anthocyanins have a low bioavailability, which reduces their nutritional significance [20].




Fig. 1. Degradation products or metabolites derived from berry anthocyanins can have an impact on health

Table 1. Berries with select nutrient and phytochemical profiles expressed in values per 100g of edible portion [1]

Fruit	Total anthocyanidin content (mg)*	Total flavan-3-ols (mg)†	Total flavonols (mg)‡	Calories (kcal)	Fiber (g)	Vitamin C (mg)	Vitamin E (mg)
Blackberry	90.46	42.5	2.49	43	5.3	21	1.17
Blueberry	163.52	51.71	9.72	57	2.4	9.7	0.57
Bilberry	430.91	4.13	NF	NF	NF	NF	NF
Chokeberry, raw	437.22	NF	8.90	NF	NF	NF	NF
Cranberry juice (unsweetened)	NF	0.92	20.82	46	0.1	9.3	1.20
Cranberry juice cocktail	0.46	0.19	1.79	54	NF	42.3	0.22
Cranberry (dried, sweetened)	0.72	NF	6.91	NF	NF	NF	NF
Cranberry sauce (canned, sweetened)	0.14	NF	5.11	151	1.0	2.0	0.83
Currant, black, raw	272.44	1.17	12.69	63	NF	181	1.0
Mulberries, raw	NF	NF	2.47	43	1.7	36.4	0.87
Black raspberry	324.02	NF	NF	NF	NF	NF	NF
Red raspberry (raw)	38.68	6.63	1.32	52	6.5	26.2	0.87
Strawberry	33.63	4.51	1.6	32	2.0	58.5	0.29

*Total anthocyanidins (cyanidin, delphinidin, peonidin, petunidin)

†Total flavan-3-ols [(-)-epicatechin, (-)-epicatechin 3-gallate, (-)-epigallocatechin, (-)-epigallocatechin 3 gallate, (+)-catechin, (+)-gallocatechin]

‡Total flavonols (kaempferol, myricetin, quercetin)

Table 2. Content of micronutrients in berry plant leaves (mg kg⁻¹ DM) [1]

Specification	Fe	Zn	Cu	Co	Mn	Cr	Mo
Raspberry	64.1	30.2	3.54	0.42	64.2	0.98	21.2
Blackberry	61.6	20.1	5.23	0.62	52.9	0.91	20.3
Chokeberry	23.5	25.1	1.38	0.48	150.9	1.06	24.5
Sea buckthorn	177.8	20.8	5.07	0.68	39.9	1.47	23.0

A substantial amount of scientific research demonstrates how eating berries can help with the three goals of functional foods: (i) lowering the risk of obesity (ii) maintaining health (such as immune system function and mental health and (iii) lowering the risk of chronic diet-related diseases (such as metabolic syndrome, type 2 diabetes, and cardiovascular disease)

2. EFFECTS ON DIABETES, OBESITY, AND METABOLIC SYNDROME

Anthocyanins can reduce the risk of obesity, type 2 diabetes, and cardiovascular problems, according to in vitro studies. They do this by upregulating hormone-sensitive lipase and lipolysis, inhibiting COX-1 and COX-2 enzymes, and increasing the production of adiponectin and leptin.

3. EFFECT ON NEUROLOGICAL DISORDERS

Age-related neurological disorders (ANDs) include neurodegenerative disorders, such as Parkinson's disease and Alzheimer's disease, which are the two most prevalent types of dementia in the elderly. It also addresses other ailments including epilepsy and migraines. There are other risk factors for ANDs besides age, which is one of the main ones. The three most common and significant pathogenic features of AND are oxidative stress, inflammation, and a build-up of misfolded proteins.

Berries contain quinic acid, catechol, catechin, gallic acid, ellagic acid, anthocyanins, minerals, and a small number of vitamins. These compounds exhibit a multitude of biological properties, including antioxidant and anti-inflammatory properties that may prevent cancer by reducing cell proliferation, inducing autophagy, and inducing apoptosis; they may also have anti-diabetic effects by inhibiting the expression of α -glucosidase, α -amylase, and dipeptidyl peptidase-4; and they may have anti-Alzheimer's disease effects by lowering the expression of $A\beta$, BChE, AChE, and BACE-1 as well as nitrate generation.

4. EFFECT OF CARDIOVASCULAR DISEASE

The impact of blueberry consumption on clinically significant biomarkers of cardiovascular disease (CVD) risk, demonstrating that supplementing with blueberries can lower blood pressure, enhance endothelial function, and reduce arterial stiffness in individuals who are at risk of CVD, including those who are pre-hypertensive, overweight, obese, or have metabolic syndrome. It has also been demonstrated that berries reduce lipid peroxidation and boost plasma antioxidant capacity in smokers who are very susceptible to cardiovascular disease.

5. EFFECT OF CANCEROUS DISEASES

Berry bioactive components impart anticancer effects through various complementary and overlapping mechanisms of action, including the induction of metabolizing enzymes, modulation of gene expression, and their effects on cell proliferation, apoptosis, and subcellular signaling pathways [7].

Role of Goji Berry in Rabbit: The rabbit is classified as a livestock animal, and the productive efficiency of rabbit farms is heavily determined by reproductive performance, particularly that of rabbit. Overall, nulliparous does have higher fertility than primiparous and multiparous does. The principal causes of the decreased fertility rate of primiparous does are both the intensive reproductive rhythms to which they are subjected, and the negative energy balance due to the overlap between pregnancy and breastfeeding. Furthermore, the breeders' profitability may be decreased by the high animal culling and mortality rate, as well as the costs associated with the procurement of medications and veterinary services as a result of the farm's sanitary status. Poor cleanliness and inappropriate artificial insemination procedures are frequently connected to the development of clinical or subclinical endometritis and metritis, which impair the reproductive capacity of the does.

Goji berries could be used as a natural technique to boost rabbit farm reproductive success. It is thought that the fruit may minimize the occurrence of reproductive infections/inflammation of the genital tract by affecting the immune system and the oxidative condition of the organs, as well as the hormonal production of the ovarian axis. In particular, 1% goji supplementation changes the hormonal pattern and enhances the does' receptivity and milk production, as well as the growth of young bunnies, albeit the effects on fertility are modest. (20). The various components of goji berry found in milk and feed may increase animal growth by altering digestion and absorption of feed through impact on the intestinal bacteria community. Furthermore, the microbiome, which influences immune system development, maturation, and response, may help to reduce infectious illness and rabbit mortality.

6. CONCLUSION

Berries and berry products have a beneficial effect on human inflammatory markers, antioxidative capacity, and postprandial glycemic

response when included in meals. Berries and berry products have the potential to lower risk factors for metabolic syndrome and cardiovascular illnesses and enhance plasma lipid profile when consumed over time. The promise of a berry diet in reducing stress and promoting healthy aging will be the subject of more investigation. Berries are tasty and easy to eat, therefore researching their health benefits is crucial for health promotion and illness prevention.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Basu A, Rhone M, Lyons TJ. Berries: Emerging impact on cardiovascular health. *Nutrition Reviews*. 2010;68(3):168-177.
2. Beattie J, Crozier A, Duthie GG. Potential health benefits of berries. *Current Nutrition & Food Science*. 2005; 1(1):71-86.
3. Biel W, Jaroszewska A. The nutritional value of leaves of selected berry species. *Scientia Agricola*. 2017;74:405-410.
4. European Commission. *Functional foods*; Publications office of the European union: Luxembourg; 2010.
5. Ferlemi AV, Lamari FN. Berry leaves are an alternative source of bioactive natural products of nutritional and medicinal value. *Antioxidants*. 2016;5(2):17.
6. Govers C, Berkel Kasikci M, van der Sluis AA, Mes JJ. Review of the health effects of berries and their phytochemicals on the digestive and immune systems. *Nutrition Reviews*. 2018;76(1):29-46.
7. Rice-Evans C, Miller N, Paganga G. Antioxidant properties of phenolic compounds. *Trends in Plant Science*. 1997;2(4):152-159.
8. Talavera S, Felgines C, Texier O, Besson C, Manach C, Lamaison JL, Remesy C. Anthocyanins are efficiently absorbed from the small intestine in rats. *The Journal of Nutrition*. 2004;134(9):2275-2279.
9. Ferlemi AV, Lamari FN. Berry leaves: An alternative source of bioactive natural products of nutritional and medicinal value. *Antioxidants*. 2016 Jun 1;5(2):17.
10. Nile SH, Park SW. Edible berries: Bioactive components and their effect on human health. *Nutrition*. 2014 Feb 1;30(2):134-44.
11. Skrovankova S, Sumczynski D, Mlcek J, Jurikova T, Sochor J. Bioactive compounds and antioxidant activity in different types of berries. *International journal of molecular sciences*. 2015 Oct 16;16(10):24673-706.
12. Baby B, Antony P, Vijayan R. Antioxidant and anticancer properties of berries. *Critical reviews in food science and nutrition*. 2018 Oct 13;58(15):2491-507.
13. Schreckinger ME, Lotton J, Lila MA, De Mejia EG. Berries from South America: A comprehensive review on chemistry, health potential, and commercialization. *Journal of medicinal food*. 2010 Apr 1;13(2):233-46.
14. Martins MS, Gonçalves AC, Alves G, Silva LR. Blackberries and mulberries: Berries with significant health-promoting properties. *International Journal of Molecular Sciences*. 2023 Jul 27;24(15):12024.
15. Schulz M, Chim JF. Nutritional and bioactive value of Rubus berries. *Food Bioscience*. 2019 Oct 1;31:100438.
16. Jimenez-Garcia SN, Vazquez-Cruz MA, Garcia-Mier L, Contreras-Medina LM, Guevara-González RG, Garcia-Trejo JF, Feregrino-Perez AA. Phytochemical and pharmacological properties of secondary metabolites in berries. *Therapeutic foods*. 2018 Jan 1:397-427.
17. Kandasamy P, Shanmugapriya C. Medicinal and nutritional characteristics of fruits in human health. *Journal of Medicinal Plants Studies*. 2015;4(4):124-31.
18. Vega-Galvez A, Rodríguez A, Stucken K. Antioxidant, functional properties and health-promoting potential of native South American berries: A review. *Journal of the Science of Food and Agriculture*. 2021 Jan 30;101(2):364-78.
19. Vidović BB, Milinčić DD, Marčetić MD, Djuriš JD, Ilić TD, Kostić AŽ, Pešić MB. Health benefits and applications of goji berries in functional food products

- development: A review. Antioxidants. 2022 Jan 27;11(2):248.
20. Andoni E, Curone G, Agradi S, Barbato O, Menchetti L, Vigo D, Brecchia G. Effect of goji berry (*Lycium barbarum*) supplementation on reproductive performance of rabbit does. Animals. 2021;11(6):1672.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/122276>